REFERENCES

- 1. Caesar, H. (1986). Long-term statistics and their impact on safety management and operational procedures. *Proceedings of the 39th International Air Safety Seminar*. Arlington, VA: Flight Safety Foundation.
- 2. Dinges, D.F., and Graeber, R.C. (1989). Crew fatigue monitoring. *Flight Safety Digest*, 65-75.
- 3. Gander, P.H., Graeber, R.C., Connell, L.J., and Gregory, K.B. (1991). Crew Factors in Flight Operations: VIII. Factors Influencing Sleep Timing and Subjective Sleep Quality in Commercial Long-Haul Flight Crews, NASA Technical Memorandum No. 103852. Moffett Field, CA: NASA Ames Research Center.
- 4. Graeber, R.C., Schreiber, H.G., and Connell, L.J. (1989). Sleep in aircrew flying sequential transatlantic crossings. *Aviation, Space, and Environmental Medicine*, 60(5), 496.
- 5. Carskadon, M.A., and Dement, W.C. (1989). Normal human sleep: An overview. In M.H. Kryger, T. Roth, and W.C. Dement (Eds.), *Principles and Practice of Sleep Medicine*, (3-13). Philadelphia, PA: Saunders Company.
- 6. Dinges, D.F., and Kribbs, N.B. (1991). Performing while sleepy: Effects of experimentally-induced sleepiness. In T. Monk (Ed.), *Sleep, Sleepiness, and Performance*, Chichester, UK: John Wiley and Sons, Ltd.
- 7. Carskadon, M.A. (1989). Measuring daytime sleepiness. In M.H. Kryger, T. Roth, and W.C. Dement (Eds.), *Principles and Practice of Sleep Medicine*. Philadelphia, PA: Saunders.
- 8. Dinges, D.F. (1989). Nap patterns and effects in human adults. In D.F. Dinges and R.J. Broughton (Eds.), Sleep and Alertness: Chronobiological, Behavioral, and Medical Aspects of Napping. New York: Raven Press.
- 9. Graeber, R.C. (1986). Sleep and wakefulness in international aircrews. Aviation, Space, and Environmental Medicine, 57, B1-B64.
- 10. Graeber, R.C. (1988). Aircrew fatigue and circadian rhythmicity. In E.L. Weiner and D.C. Nagel (Eds.), *Human Factors in Aviation*, (305-344). New York: Academic Press.
- 11. Graeber, R.C. (1988). Long-range operations in the glass cockpit: Vigilance, boredom, and sleepless nights in long-haul flight operations. *Proceedings of the NATO Advanced Research Workshop on Vigilance and Performance in Automatized Systems*. Paris, France: NATO.
- 12. Graeber, R.C., Connell, L.J., and Schreiber, H. (1988). Aircrew sleep and fatigue in long-haul flight operations. In the Proceedings of the 40th Flight Safety Foundation International Air Safety Seminar. Arlington, VA: Flight Safety Foundation.
- 13. Dinges, D.F., Orne, M.T., Whitehouse, W.G., and Orne, E.C. (1987). Temporal placement of a nap for alertness: Contributions of circadian phase and prior wakefulness. *Sleep*, 10(4), 313-329.
- 14. Dinges, D.F., Whitehouse, W.G., Orne, E.C., and Orne, M.T. (1988). The benefits of a nap during prolonged work and wakefulness. *Work and Stress*, 2, 139-152.

- 15. Mullaney, D.J., Kripke, D.F., Fleck, P.A., and Johnson, L.C. (1983). Sleep loss and nap effects on sustained continuous performance. *Psychophysiology*, 20, 643-651.
- 16. Naitoh, P. (1981). Circadian cycles and restorative power of naps. In L.C. Johnson, D.I. Tepas, W.P. Colquhoun, and M.J. Colligan (Eds.), *Biological Rhythms, Sleep, and Shiftwork*, (553-580). New York: Spectrum.
- 17. Dinges, D.F., Orne, E.C., Evans, F.J., and Orne, M.T. (1981). Performance after naps in sleep-conducive and alerting environments. In L.C. Johnson, D.I. Tepas, W.P. Colquhoun, and M.J. Colligan (Eds.), *Biological Rhythms, Sleep, and Shift Work*, New York: Spectrum.
- 18. Dinges, D.F., Orne, M.T., Orne, E.C., and Evans, F.J. (1980). *Voluntary Self-Control of Sleep to Facilitate Quasi-Continuous Performance* (NTIS Publication No. AD-A102264). Fredrick, MD: United States Army Medical Research and Development Command.
- 19. Dinges, D.F. (1989). The nature of sleepiness: Causes, context, and consequences. In A. Stunkard and A. Baum (Eds.), *Perspectives in Behavioral Medicine: Eating, Sleeping, and Sex.* Hillsdale, NJ: Lawrence Erlbaum.
- 20. Dinges, D.F. and Broughton, R. (Eds.) (1989), Sleep and Alertness: Chronobiological, Behavioral, and Medical Aspects of Napping. New York: Raven Press.
- 21. Carskadon, M.A., and Dement, W.C. (1977). Sleep tendency: An objective measure of sleep loss. *Sleep Research*, 6, 200.
- 22. Rosekind, M.R., and Schwartz, G.E. (1988). The perception of sleep and wakefulness. I: Accuracy and certainty of subjective judgments. *Sleep Research*, 17, 89.
- 23. Rosekind, M.R., and Schwartz, G.E. (1988). The perception of sleep and wakefulness. II: Information used for discrimination and effects of personality style. *Sleep Research*, 17, 131.
- 24. Carskadon, M.A., and Rechtschaffen, A. (1989). Monitoring and staging human sleep. In M.H. Kryger, T. Roth, and W.C. Dement (Eds.), *Principles and Practice of Sleep Medicine*. Philadelphia, PA: Saunders.
- 25. Rechtschaffen, A., and Kales, A. (1968). A Manual of Standardized Terminology, Techniques, and Scoring System for Sleep Stages of Human Subjects. Los Angeles, CA: University of California, Los Angeles.
- 26. Guilleminault, C. (Ed.). (1982). Sleeping and Waking Disorders. Menlo Park, CA: Addison-Wesley Publishing Co.
- 27. Carskadon, M.A., and Dement, W.C. (1987). Daytime sleepiness: Quantification of a behavioral state. *Neuroscience and Biobehavioral Reviews*, 11(3), 307-317.
- 28. Akerstedt, T. (1992). Work hours and continuous monitoring of sleepiness. In R.J. Broughton and R.D. Ogilvie (Eds.), *Sleep, Arousal, and Performance*, (63-72). Boston, MA: Birkhauser.
- 29. Akerstedt, T., Kecklund, G., Sigurdsson, K., Anderzen, I., and Gillberg, M. (1991). Methodological aspects of ambulatory monitoring of sleepiness. *Proceedings of the Commission of the European Communities on Psychophysiological Measures in Transport Operations*. Koln, Germany.

- 30. Valley, V., and Broughton, R. (1983). The physiological (EEG) nature of drowsiness and its relation to performance deficits in narcoleptics. *Electroencephalography and Clinical Neurophysiology*, 55, 243-251.
- 31. Fruhstorfer, H., Langanke, P., Meinzer, K., Peter, J.H., and Pfaff, U. (1977). Neurophysiological vigilance indicators and operational analysis of a train vigilance monitoring device: A laboratory and field study. In R.R. Mackie (Ed.), *Vigilance*, (147-162). New York: Plenum Press.
- 32. Torsvall, L., and Akerstedt, T. (1987). Sleepiness on the job: Continuously measured EEG changes in train drivers. *Electroencephalography and Clinical Neurophysiology*, 66, 502-511.
- 33. O'Hanlon, J.F., and Kelley, G.R. (1977). Comparison of performance and physiological changes between drivers who perform well and poorly during prolonged vehicular operation. In R.R. Mackie (Ed.), *Vigilance*, (87-109). New York: Plenum Press.
- 34. Akerstedt, T., Torsvall, L., and Gillberg, M. (1987). Sleepiness in shift-work: A review with emphasis on continuous monitoring of EEG and EOG. *Chronobiology International*, 4, 129-140.
- 35. Torsvall, L., Akerstedt, T., Gillander, K., and Knutsson, A. (1989). Sleep on the night shift: 24-hour EEG monitoring of spontaneous sleep/wake behavior. *Psychophysiology*, 26, 352-358.
- 36. Haslam, D.R. (1982). Sleep loss, recovery sleep, and military performance. *Ergonomics*, 25, 163-178.
- 37. Akerstedt, T., and Gillberg, M. (1990). Subjective and objective sleepiness in the active individual. *International Journal of Neuroscience*, 52, 29-37.
- 38. Torsvall, L., and Akerstedt, T. (1988). Extreme sleepiness: Quantification of EOG and spectral EEG parameters. *International Journal of Neuroscience*, 38, 435-441.
- 39. Dement, W.C., Seidel, W.F., Cohen, S.A., Bliwise, N.G., and Carskadon, M.A. (1986). Sleep and wakefulness in aircrew before and after transoceanic flights. *Aviation, Space, and Environmental Medicine*, 57(12), B14-B28.
- 40. Sasaki, M., Kurosaki, Y., Mori, A., and Endo, S. (1986). Patterns of sleep-wakefulness before and after transmeridian flight in commercial airline pilots. *Aviation, Space, and Environmental Medicine*, 57(12), B29-B42.
- 41. Rosekind, M.R., Townsend, B., Rountree, M.S., Connell, L.J., Yost, D., Graeber, R.C., Spinweber, C., Dinges, D.F., and Dement, W.C. (1990). Modification of the Medilog 9000-II recorder to reduce 400HZ noise in the cockpit environment. *Sleep Research*, 19, 377.
- 42. Horne, J.A. (1978). A review of the biological effects of total sleep deprivation in man. *Biological Psychology*, 7, 55-102.
- 43. Horne, J.A. (1988). Why We Sleep: The Functions of Sleep in Humans and Other Mammals. New York: Oxford University Press.
- 44. Johnson, L.C., and Naitoh, P. (1974). The operational consequences of sleep deprivation and sleep deficit. *Proceedings of the NATO Advisory Group for Aerospace Research and Development*. Paris, France: NATO.

- 45. Naitoh, P. (1976). Sleep deprivation in human subjects: A reappraisal. Waking and Sleeping, 1, 53-60.
- 46. Wilkinson, R.T. (1968). Sleep deprivation: Performance tests for partial and selective sleep deprivation. In L.E. Abt and B.F. Riess (Eds.), *Progress in Clinical Psychology: Dreams and Dreaming*, (28-43). New York: Grune and Stratton.
- 47. Angus, R.G., and Heslegrave, R.J. (1985). Effects of sleep loss on sustained cognitive performance during a command and control simulation. *Behavioral Research Methods Instruments and Computers*, 17, 55-67.
- 48. Bonnet, M.H. (1985). The effect of sleep disruption on performance, sleep, and mood. *Sleep*, 8(1), 11-19.
- 49. Bonnet, M.H. (1986). Performance and sleepiness as a function of frequency and placement of sleep disruption. *Psychophysiology*, 23, 263-271.
- 50. Dinges, D.F., and Powell, J.W. (1988). Sleepiness is more than lapsing. *Sleep Research*, 17, 84.
- 51. Glenville, M., Broughton, R., Wing, A.M., and Wilkinson, R.T. (1978). Effects of sleep deprivation on short duration performance measures compared to the Wilinson Auditory Vigilance Task. *Sleep*, *1*, 169-176.
- 52. Lisper, H., and Kjellberg, A. (1972). Effects of a 24-hour sleep deprivation on rate of decrement in a 10-minute auditory reaction time task. *Journal of Experimental Psychology*, 96, 287-290.
- 53. Wilkinson, R.T., and Houghton, D. (1982). Field test of arousal: A portable reaction timer with data. *Human Factors*, 24, 487-493.
- 54. Herscovitch, J., and Broughton, R. (1981). Sensitivity of the Stanford Sleepiness Scale to the effects of cumulative partial sleep deprivation and recovery oversleeping. *Sleep*, 4(1), 83-92.
- 55. Tilley, A.J., and Wilkinson, R.T. (1984). The effects of restricted sleep regime on the composition of sleep and on performance. *Psychophysiology*, 21(4), 406-412.
- 56. Glenville, M., and Wilkinson, R.T. (1979). Portable devices for measuring performance in the field: The effects of sleep deprivation and night shift on the performance of computer operators. *Ergonomics*, 22, 927-933.
- 57. Tilley, A.J., Wilkinson, R.T., Warren, P.S.G., Watson, W.G., and Drud, M. (1982). The sleep and performance of shift workers. *Human Factors*, 24, 624-641.
- 58. Dinges, D.F. (1992). Probing the limits of functional capability: The effects of sleep loss on short-duration tasks. In R.J. Broughton and R. Ogilvie (Eds.), *Sleep, Arousal, and Performance: Problems and Promises*. Birkhauser-Boston, Inc.
- 59. Dinges, D.F., and Powell, J.W. (1985). Microcomputer analyses of performance on a portable, simple visual RT task during sustained operations. *Behavior Research Methods, Instruments and Computers*, 17, 652-655.
- 60. Dinges, D.F., and Powell, J.W. (1989). Sleepiness impairs optimum response capability— It's time to move beyond the lapse hypothesis. *Sleep Research*, 18, 366.

- 61. Mullaney, D.J., Kripke, D.F., and Messin, S. (1980). Wrist-actigraphic estimation of sleep time. *Sleep*, 3(1), 83-92.
- 62. Webster, J.B., Kripke, D.F., Messin, S., Mullaney, D.J., and Wyborney, G. (1982). An activity-based sleep monitor system for ambulatory use. *Sleep*, 5(4), 389-399.
- 63. Gander, P.H., Graeber, R.C., Foushee, H.C., Lauber, J.K., Connell, L.J. (1988). *Crew Factors in Flight Operations: II. Psychophysiological Responses to Short-Haul Air Transport Operations*, NASA Technical Memorandum No. 89452. Moffett Field, CA: NASA Ames Research Center.
- 64. Armington, J.C., and Mitnick, L.L. (1959). Electroencephalogram and sleep deprivation. *Journal of Applied Physiology*, 14, 247-250.
- 65. Bjerner, B. (1949). Alpha depression and lowered pulse rate during delayed actions in a serial reaction test: A study of sleep deprivation. *Acta Physiologica Scandinavica*, 19(65), 1-933.
- 66. Mirsky, A.F., and Cardon, P.V. (1962). A comparison of the behavioral and physiological changes accompanying sleep deprivation and chlorpromazine administration in man. *Electroencephalography and Clinical Neurophysiology*, 14, 1-10.
- 67. Williams, H.L., Granda, A.M., Jones, R.C., Lubin, A., and Armington, J.C. (1962). EEG frequency and finger pulse volume as predictors of reaction time during sleep loss. *Electroencephalography and Clinical Neurophysiology*, 14, 64-70.
- 68. Bills, A.G. (1931). Blocking: A new principle of mental fatigue. *American Journal of Psychology*, 43, 230-245.
- 69. Kirk, R.E. (1968). Experimental Design: Procedures for the Behavioral Sciences. Belmont, CA: Wadsworth.
- 70. Sasaki, M., Kurosaki, Y., Takahashi, T., Mori, A., Spinweber, C.L., and Graeber, R.C. (1987). Flight crew sleep after multiple layover polar flights. *Sleep Research*, 16, 637.
- 71. Carskadon, M.A., Rosekind, M.R., Galli, J., Sohn, J., Herman, K.B., and Davis, S.S. (1989). Adolescent sleepiness during sleep restriction in the natural environment. *Sleep Research*, 18, 115.
- 72. C.E. Billings. Mar., 1991. Personal communication. NASA Ames Research Center.
- 73. Kleitman, N. (1963). Sleep and wakefulness. Chicago, IL: Chicago University Press.
- 74. Rechtschaffen, A. (1979). The function of sleep: Methodological issues. In R. Drucker-Colin, M. Shkurovich, and B. Sterman (Eds.), *The Functions of Sleep*. New York: Academic Press.
- 75. Carskadon, M.A., Brown, E.D., and Dement, W.C. (1982). Sleep fragmentation in the elderly: Relationship to daytime sleep tendency. *Neurobiology of Aging*, 3, 321-327.

APPENDIX

PVT RESULTS

PVT Lapse Duration

The analysis discussed in the main body of this report focused on the frequency of performance lapses in crewmembers, whereas this analysis concerns the length or duration of lapses. In fact, the focus in this appendix concerns not only lapse duration, but also the speed of responses that comprise the poorest performance in a PVT trial. There is laboratory evidence that the speed of the slowest 10% of RTs in a trial decreases as sleep-based fatigue increases. The issue cannot be assessed statistically, however, without considering the proportionality between the mean of raw RT scores and the standard deviation (see ref. 6, especially fig. 2 therein). To correct for this proportionality and the overall distortion introduced by very long RTs, we performed a reciprocal transformation on the 10% of RTs that were of the longest duration in each trial, yielding response speeds for the lapse domain, and then analyzed the results using ANOVAs.

Figure 29 shows the average speed of the slowest 10% of PVT responses for NRG and RG for each trial of each study flight leg. (*Note: Because of the reciprocal transformation, poorer performance is reflected in a downward direction in figs.* 28-30.) As with previous performance parameters in this report, the NRG displays far greater range of average speeds across flight legs and trials than the RG, with drops in mean speed especially evident on the third in-flight performance trial on study flight legs 2, 3, and 4. The three-way ANOVA confirmed this picture. The main effect for condition was marginal ($F_{1,19} = 3.54$, p < .075), whereas the main effects for flight leg ($F_{3,57} = 6.44$, p < .001) and trial ($F_{3,57} = 8.44$, p < .0005) were significant. The condition by flight-leg interaction was significant ($F_{3,57} = 3.11$, p < .033), as was the flight leg by trial interaction ($F_{9,171} = 4.07$, p < .0005). The condition by trial interaction was marginal ($F_{3,57} = 2.56$, p < .064). The F-ratio for the three-way interaction was not significant ($F_{9,171} = 0.51$).




Figure 29. Mean response speed of lapses (the slowest 10% of PVT responses within each trial) for RG and NRG across each flight leg. The reciprocal transformation results in decreases indicating poorer performance (slower speed).

Two-way ANOVA revealed that there were no significant main effects or interactions on day-flight leg 1. On night-flight legs 2 and 4 there were significant main effects for trials (leg 2 $F_{4,76}$ = 9.99, p < .0005; leg 4 $F_{3,57}$ = 5.48, p < .002), indicating that response speed was slowing as flights progressed. Most important, there were significant main effects for condition on flight leg 3 ($F_{1,19}$ = 4.44, p < .05) and flight leg 4 ($F_{1,19}$ = 5.40, p < .031). Overall, the RG averaged less slowing of responses in the lapse domain than did the NRG, especially during these later flight legs. Figure 30 illustrates this effect using data from study flight legs 1 and 4. By flight leg 4 the speed of responses in the lapse domain for the NRG had decreased 21%-28% midway and late in the flight, compared to flight leg 1. No such decline in the speed of the slowest 10% is evident in the RG, suggesting that the nap prevented it.




Figure 30. Mean response speed (S.E.) of lapses (slowest 10%) for RG and NRG for day-flight leg 1 and night-flight leg 4. Decreases indicate poorer performance (slower speed). Asterisks indicate significant differences with group by paired t-tests at specific time points.

Figure 31 shows the difference in lapse domain response speed between the two groups for data averaged across the four study flight legs. The NRG response averaged 12%-15% slower than those of the RG during in-flight trials 2 and 3.




Figure 31. Mean response speed (S.E.) of lapses (slowest 10%) for RG and NRG collapsed across all four flight legs. Decreases indicate poorer performance (slower speed). Percentages indicate differences between groups' means at PVT trial times. Asterisks indicate significant differences between groups by independent t-tests at specific time points.

PVT Optimum Response Time

Optimum response times are the opposite of the lapse domain. They refer to the 10% of RTs in a PVT trial that have the shortest durations, and therefore reflect the best performance on a given trial. Although it has often been assumed that sleep loss and fatigue should not affect the very fastest reaction times, there is now ample evidence that this assumption is incorrect (ref. 6). Diminution of "best effort" as reflected in small but statistically significant shifts in the upper 10% of responses has been found in both the classic research on the effects of sleep loss on performance (ref. 67), and in recent studies (ref. 60).

Performance from the present study was analyzed to determine whether the Rest condition had any effect on optimum responses, as well as to ascertain what, if any, effects night flights had on RTs in the domain of "best effort." In conducting these comparisons, the same basic analytic strategy used with other performance parameters was followed, except that no distribution-free metric or transformation was necessary because optimum responses have exceedingly low variability (by definition they are uninfluenced by lapses).

Figure 32 displays the average optimum RTs for no-rest and rest groups for each trial of each study flight leg. (Note that because these analyses use raw RT scores, poorer performance is reflected in an upward direction in figs. 32-34.) It is clear upon examining the figure that, as expected, there is little variability across trials and flight legs for either group, although there appears to be some change evident in the NRG that is absent in the RG. The three-way ANOVA yielded a main effect for condition ($F_{1,19} = 7.79$, p < .012), flight leg ($F_{3,57} = 2.90$, p < .042), and trial ($F_{3,57} = 12.70$, p < .0005). There were significant interactions for condition by trial ($F_{3,57} = 3,55$, p < .02), and for flight leg by trial ($F_{9,171} = 2.29$, p < .022). The overall interaction was not significant.




Figure 32. Mean optimum response times (the fastest 10% of RTs within each PVT trial) for RG and NRG across each flight leg. Increases indicate poorer performance.

Figure 33 compares the means for flight legs 1 and 4 within each group. There is a nonsignificant trend for optimum performance to be slightly slower at TOD during leg 4 in the NRG. ANOVA within each flight leg yielded no significant main effects or interactions on flight leg 1—the two groups were performing comparably at this time, although there was a trend for the RG to average slightly faster optimum RTs ($F_{1,19} = 4.05$, p < .058). On study flight legs, 2, 3, and 4, the NRG was significantly slower in optimum responses than the RG (main effect for condition: leg 2 F1,19 = 7.93, p < .014; leg 3 $F_{1,19} = 8.16$, p < .01; leg 4 $F_{1,19} = 10.01$, p < .005). An analysis of covariance, with the first trial on leg 1 as the covariate, reduced these main effects due to condition, but did not eliminate them (leg 2 $F_{1,18} = 3.71$, p < .07; leg 3 $F_{1,18} = 4.50$, p < .048; leg 4 $F_{1,18} = 5.92$, p < .026).




Figure 33. Mean (S.E.) optimum response times (the fastest 10% of RTs within each PVT trial) for RG and NRG for day-flight leg 1 and night-flight leg 4. Increases indicate poorer performance.

Figure 34 shows the difference in optimum responses at each trial time-point between the two groups for data averaged across the four study flight legs. Although very modest (8%), the average difference between the RG and NRG near TOD was statistically significant (the postflight difference is less meaningful owing to the absence of a postflight trial on leg 4).




Figure 34. Mean (S.E.) optimum response times (the fastest 10% of RTs within each PVT trial) for RG and NRG collapsed across all four flight legs. Increases indicate poorer performance. Percentages indicate differences between groups' means at PVT trial times. Asterisks indicate significant differences between groups by independent t-tests at specific time points.